

Company: Hebei Meishen Technology Co.,LTD
Email: hbmeishen@gmail.com
Telephone: 0086-0319-3928534
Website: <http://magnesiumking.com>

Magnesium Oxide for Fluororubber product Details

 	Name	Magnesium Oxide for Fluororubber product
	Brand	Meishen
	Appearance	White powder
	Grade	Industrial Grade
	Function	Vulcanization accelerator, acid-acceptor, anti-scorching agent,
	Packing	20kg net plastic woven bag with PE liner
	Payment	L/C, T/T, D/P, PAYPAL, WESTERN UNION, MONEY GRAM

1)Active 40 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	95.0	Mn% \leq	0.003
CaO% \leq	0.50	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	4.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	40.1-60.0

Company: Hebei Meishen Technology Co.,LTD
Email: hbmeishen@gmai.com
Telephone: 0086-0319-3928534
Website: <http://magnesiumking.com>

2)Active 60 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	92.0	Mn% \leq	0.003
CaO% \leq	0.50	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	7.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	60.1-80.0

3)Active 80 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	92.0	Mn% \leq	0.003
CaO% \leq	0.50	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	7.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	80.1-120.0

Company: Hebei Meishen Technology Co.,LTD
Email: hbmeishen@gmai.com
Telephone: 0086-0319-3928534
Website: <http://magnesiumking.com>

4)Active 120 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	91.0	Mn% \leq	0.003
CaO% \leq	0.50	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	8.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	120.1-150.0

5)Active 150 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	91.0	Mn% \leq	0.003
CaO% \leq	0.50	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	8.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	150.1-180.0

Company: Hebei Meishen Technology Co.,LTD
Email: hbmeishen@gmai.com
Telephone: 0086-0319-3928534
Website: <http://magnesiumking.com>

6)Active 180 Magnesium Oxide for Fluororubber product Specification

Test Item	Test Value	Test Item	Test Value
MgO% \geq	88.0	Mn% \leq	0.003
CaO% \leq	0.30	Cl% \leq	0.10
HCl insoluble% \leq	0.10	Loss on ignition% \leq	11.0
Screenings(75 μ m)% \leq	0.03	Bulk density(g/ml) \leq	0.20
Fe% \leq	0.03	Inhale iodine value (120mgI ₂ /gMgO)	180